

Table 3A - IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source Verify that CFA is digital	Message [0]=ERROR: Record not found in TIRKS -
OSS Gateway: Error caught by data source	Message[0]=€
OSS Gateway: Error caught by data source	Message[0]="
OSS Gateway: Error caught by data source	Message[0]=¼
OSS Gateway: Error caught by data source FnS Error: Error Parsing Page.	Message[0]=9x Address Supplementary Page: Internal
OSS Gateway: Error caught by data source Data Mapping Error - Call OSS/UHD DA_ADR_Request Failure exception received (dac / rpc)	Message[0]=Basic No. given :Street Name Required Message[1]=User defined Message[2]=User defined exception received...
OSS Gateway: Error caught by data source OVERRIDE #3J7J4Q4A00	Message[0]=BLOCK IN EFFECT - NEED MANUAL
OSS Gateway: Error caught by data source	Message[0]=call failed (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=Call timed out (dac / rpc)
OSS Gateway: Error caught by data source Invalid CLLI was input - validate input CLLI	Message[0]=Clli = (DCSMMDBC) State Code = (MD) Input CLLI was rejected and unable to route to host
OSS Gateway: Error caught by data source	Message[1]=User defined exception received (dac / rpc) M...
OSS Gateway: Error caught by data source	Message[0]=Communications failure (dac / rpc)
OSS Gateway: Error caught by data source Message[1]=3022 Fatal :: Gateway Error	Message[0]=Communications failure (dac / rpc)
OSS Gateway: Error caught by data source Message[1]=Communications failure (dac / rpc)	Message[0]=Communications failure (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=Due date requested has passed! Need to change
OSS Gateway: Error caught by data source request not processed Message[1]=Unable to connect to the requested host system. Request has been rejected. Message[2]=User defined exception received (dac...	Message[0]=E/A Service handler failed Service
OSS Gateway: Error caught by data source	Message[0]=Error logging in to host (livetirk) The host system is not available This DA_EQPF1 request has failed Message[1]=Error logging in to host (livetirk) The host system is not available Thi...
OSS Gateway: Error caught by data source	Message[0]=ERROR: 0
OSS Gateway: Error caught by data source	Message[0]=ERROR: 0 Call timed out (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=ERROR: 0 Communications failure (dac / rpc)
OSS Gateway: Error caught by data source DURING LOGIN INTO LFACS: 0	Message[0]=ERROR: 0 ERROR OCCURRED
OSS Gateway: Error caught by data source program failed.	Message[0]=ERROR: 0 Gateway is down and/or
OSS Gateway: Error caught by data source validation. VERIFY STREET NAME	Message[0]=ERROR: 0 Unknown error for this address
OSS Gateway: Error caught by data source	Message[0]=ERROR: 0 VERIFY TN
OSS Gateway: Error caught by data source DURING LOGIN INTO LFACS: 0	Message[0]=ERROR: 302 ERROR OCCURRED
OSS Gateway: Error caught by data source	Message[0]=ERROR: 302 The requested NPA/NXX was not found in the ISDN Wire Center Data file: /opt/applet/data/facck/ALL.TRIS.data Please contact your Tier 1 Support to report this problem ASAP.

Table 3A - BSA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source	Message[0]=ERROR: 501 INQ FASG FAILED:
OSS Gateway: Error caught by data source	Message[0]=ERROR: 501 INQ FASG FAILED: L400-050: THE REQUESTED FACILITY ADDRESS CANNOT BE FOUND. CHECK YOUR INPUT
OSS Gateway: Error caught by data source	Message[0]=ERROR: 501 INQ FASG FAILED: L400-170: THERE ARE MORE THAN ONE FACILITY ADDRESS AT THE GIVEN ADDRESS
OSS Gateway: Error caught by data source	Message[0]=ERROR: 501 INQ FASG FAILED: L400-320: durum ct NOT FOUND
OSS Gateway: Error caught by data source	Message[0]=ERROR: Address Validation Error: Call timed out (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=ERROR: Address Validation Error: Gateway is down and/or program failed.
OSS Gateway: Error caught by data source	Message[0]=ERROR: Address Validation Error: No description available at this time
OSS Gateway: Error caught by data source	Message[0]=ERROR: Address Validation Error: No match found for logical host (PREMIS_CENT) Routing Table Update Required. Call OSS/UHD
OSS Gateway: Error caught by data source	Message[0]=ERROR: Address Validation Error: VERIFY TN
OSS Gateway: Error caught by data source	Message[0]=ERROR: Call timed out (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=ERROR: Facility Check failed to process this request.
OSS Gateway: Error caught by data source	Message[0]=ERROR: No exact match was found for the address provided.
OSS Gateway: Error caught by data source	Message[0]=ERROR: No Existing Circuits at This Address
OSS Gateway: Error caught by data source	Message[0]=ERROR: No matching address found.
OSS Gateway: Error caught by data source	Message[0]=FC error code: 20060 Error sending/receiving data from host No Lfacs connection available Facility Check is experiencing slow response to a host system. This may be due to unusual request volumes. P...
OSS Gateway: Error caught by data source	Message[0]=FC error code: 20061 Invalid address specified Address 'e rancho blvd' not found. The requested address was not found. Please verify the address and try again.
OSS Gateway: Error caught by data source	Message[0]=FC error code: 20062 Valid PREMIS address - Address not in LFACS The requested address is in PREMIS - The request address is NOT in LFACS Issue service order with this address - Use correct remarks ...
OSS Gateway: Error caught by data source	Message[0]=FC error code: 20063 Multiple addresses returned No exact match was found for the address provided. Verify community and/or state and try again. Multiple addresses were found for the address specify....
OSS Gateway: Error caught by data source	Message[0]=FC error code: 20064 unable to perform select loop in LFACS Received an undesired response from the Select Loop inquiry.
OSS Gateway: Error caught by data source	Message[0]=FC error code: 50300 Unable to Validate Address No Address Found This address was not found in PREMIS. Please check your input and try again.
OSS Gateway: Error caught by data source	Message[0]=FC error code: 50310 Error in Address Validation Unable to Validate Address Premis responded with an error code for this address. Please check your input and try again.

Table 3A - IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source services No SelectLoop EJB Found	Message[0]=FC error code: 70150 Error accessing EJB
OSS Gateway: Error caught by data source	Message[0]=H
OSS Gateway: Error caught by data source entered was not a valid SAGA.	Message[0]=INPUT ERROR(S): JS_ERR_112:SAGA
OSS Gateway: Error caught by data source 1v:ZIPCODE translates into more than (1) SAGA.	Message[0]=INPUT ERROR(S): JS_ERR_112-1v:ZIPCODE translates into more than (1) SAGA. Use one of the following SAGAs:
BLVUEASTSEAT	
OSS Gateway: Error caught by data source JS_ERR_112v:ZIPCODE could not be translated into a SAGA.	Message[0]=INPUT ERROR(S):
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[0]=Invalid attribute (Loc A) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[1]=Invalid attribute (Loc Z) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[2]=26602 Fatal :: Gateway Error
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[0]=Invalid attribute (Loc Z) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[1]=Invalid request Request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[2]=26602 Fatal :: Gateway Error
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[0]=Invalid attribute (S: cktid should has 6 fields) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[1]=Invalid attribute (S: Prefix field length must be of length 1 or 2) ...
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[0]=Invalid attribute (S: cktid should has 6 fields) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[1]=Invalid attribute (S: Suffix field length must be 0 or 3) Require...
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[0]=Invalid attribute (S: cktid should has 6 fields) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[1]=Invalid request Request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[0]=Invalid attribute (T: cktid should has 7 fields) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[1]=Invalid attribute (T: Prefix field length must be 2) Required inp...
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[0]=Invalid attribute (T: cktid should has 7 fields) Required input field is invalid This request was not submitted
OSS Gateway: Error caught by data source field is invalid This request was not submitted	Message[1]=Invalid request Request was not submitted
OSS Gateway: Error caught by data source HTML: Connection lost to the Facility Check web site.	Message[0]=Isdn Loop Query Page: Error Sending
OSS Gateway: Error caught by data source time range	Message[0]=Job duration is greater than calculated time range
OSS Gateway: Error caught by data source	Message[0]=I
OSS Gateway: Error caught by data source	Message[0]=Leadtime violated
OSS Gateway: Error caught by data source NpaNxx (000000) Routing Table Update Required. Call OSS/UHD DA_ADR_Request Failure	Message[0]=No AREA/HOST match found for the NpaNxx (000000) Routing Table Update Required. Call OSS/UHD DA_ADR_Request Failure
OSS Gateway: Error caught by data source	Message[1]=User defined exception received (dac / rpc) Message[2]=User def...
OSS Gateway: Error caught by data source for logical host (ALOC_SIM) Routing Table Update Required. Call OSS/UHD DA_ADR_Request Failure	Message[0]=No DSAver/UID/Major#/Minor# availabl for logical host (ALOC_SIM) Routing Table Update Required. Call OSS/UHD DA_ADR_Request Failure
OSS Gateway: Error caught by data source areaConvStatus table Verify CALA entry, If correct, Routing Table Update Required, call OSS/UHD DA_ADR_Request Failure	Message[1]=User defined exception received (dac / rpc) M...
OSS Gateway: Error caught by data source	Message[0]=No match for area (WYOM) in areaConvStatus table Verify CALA entry, If correct, Routing Table Update Required, call OSS/UHD DA_ADR_Request Failure
OSS Gateway: Error caught by data source	Message[1]=User defined exception received (...)

Table 3A - IMA Production legacy system error messages not found in IMA SATE		
IMA ERROR MESSAGE/DESCRIPTION		
OSS Gateway: Error caught by data source (206770) Routing Table Update Required. Call OSS/UHD. DA_TNR_Request Failure	Message[0]=No match found for version (2.0) and CLLI	Message[1]=User defined exception received (dac / rpc) Message[2]=User ...
OSS Gateway: Error caught by data source	Message[0]=No physical host associated with logical host (EKY) Routing Table Update Required. Call OSS/UHD. DA_TNR_Request Failure	Message[1]=User defined exception received (dac / rpc) Message[2]=User...
OSS Gateway: Error caught by data source (nnnnn) Verify ZIP. If correct, Routing Table Update Required, call OSS/UHD. DA_ADR_Request Failure	Message[0]=No SAGA/CALA match found for zip	Message[1]=User defined exception received (dac / rpc) Message[2]=User...
OSS Gateway: Error caught by data source	Message[0]=Not a valid Fetch object	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=Basic No. given :Street Na...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=E/A Service handler failed...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=No AREA/HOST match found f...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=No DSAver/UUID/Major#/Mino...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=No match for area (INVA) i...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=No match found for logical...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=No SAGA/CALA match found f...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=Street Name or Telephone N...	
OSS Gateway: Error caught by data source	Message[0]=Null response: Corrupt response data encountered	Message[1]=Null response: Corrupt response data encountered
Response not returned	Message[2]=User defined exception rec...	
OSS Gateway: Error caught by data source	Message[0]=POTS Facilities Login Page: Error finding COOKIE: Invalid FC page.	
OSS Gateway: Error caught by data source	Message[0]=POTS Facilities Login Page: Error Sending HTML: Connection lost to the Facility Check web site.	
OSS Gateway: Error caught by data source	Message[0]=Pots Facility Check (with address validation) INPUT ERROR(S): FNS_ERR_901:TN and ADDRESS cannot both be entered. JS_ERR_210: ADDRESS is NOT part of selected Search By criteria. JS_ERR_250: CITY is N...	
OSS Gateway: Error caught by data source	Message[0]=Pots Facility Check (with address validation) INPUT ERROR(S): JS_ERR_112: SAGA entered was not a valid SAGA.	
OSS Gateway: Error caught by data source	Message[0]=PotsServFacAvailServer::ProcessMessage() Internal FnS Error: Unknown HTML Page:	

Table 3A – IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source	Message[0]=Return host id missing for electronic file transfer.
OSS Gateway: Error caught by data source	Message[0]=Screen (WA) : Field (WorkAuthorization->circuitIdFormat) : ERROR-The Circuit Id was not found in the TIRKS System database. The host system has returned an error This DA_EQPF1 request has fail...
OSS Gateway: Error caught by data source	Message[0]=Screen (WA) : Field (WorkAuthorization->cirLayoutOrderNum) : ERROR-Circuit Id not eligible for this Co-Provider The host system has returned an error This DA_EQPF1 request has failed Message[...
OSS Gateway: Error caught by data source	Message[0]=Street Name or Telephone Number Required Data Mapping Error - Call OSS/UHD DA_ADR_Request Failure Message[1]=User defined exception received (dac / rpc) Message[2]=User defined exception rec...
OSS Gateway: Error caught by data source	Message[0]=System Call error while communicating with Fetch Hostname = fnsid1 Port number = 4006 Connection refused Host = fnsid1 Port = 4006 Timeout = 5
OSS Gateway: Error caught by data source	Message[0]=System Call error while communicating with Fetch Hostname = fnsid1 Port number = 4006 Connection reset by peer
OSS Gateway: Error caught by data source	Message[0]=The CoProvider/ ContractArea combination is invalid.
OSS Gateway: Error caught by data source	Message[0]=Total Time > 8 hrs
OSS Gateway: Error caught by data source	Message[0]=Transaction timed out while processing request: (From signal handler)
OSS Gateway: Error caught by data source	Message[0]=Unable to open the requested E/A service. Request has been rejected. Message[1]=User defined exception received (dac / rpc) Message[2]=Null response: Corrupt response data encountered Respon...
OSS Gateway: Error caught by data source	Message[0]=Unbundled Loop Query Page: Error Sending HTML: Connection lost to the Facility Check web site.
OSS Gateway: Error caught by data source	Message[0]=VERIFY SAGA /CALA DA_ADR Validate Address Request Failure Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=VERIFY TN DA_ADR Validate Address Request Failure Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=VERIFY WIRE CENTER DA_ADR Validate Address Request Failure Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=WTN appears multiple times in WTN list: 9529260548
OSS Gateway: Error caught by data source;	Message [0]=ERROR::Record not found in TIRKS - Verify that CFA is digital
OSS Gateway: Error caught by data source;	Message[0]=call failed (dac / rpc); Message[1]=3021 Fatal :: Gateway Error
OSS Gateway: Error caught by data source;	Message[0]=call failed (dac / rpc); Message[1]=call failed (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=CALL OSS/UHD; DA_ADR Validate Address Request Failure; Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=Call timed out (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=Communications failure (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=Communications failure (dac / rpc);

Table 3A - IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
Message[1]=3022 Fatal :: Gateway Error	
OSS Gateway: Error caught by data source;	Message[0]=Communications failure (dac / rpc); Message[1]=Communications failure (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=Due date requested has passed! Need to change
OSS Gateway: Error caught by data source;	Message[0]=EA Error - Timeout waiting for new screen to appear; Desired screen has not appear.; Message[1]=E/A Service handler failed; Service request not processed; Message[2]=User defined exception received...
OSS Gateway: Error caught by data source;	Message[0]=ENTER HOUSE NUMBER, AHN OR ROUTE; DA_ADR Validate Address Request Failure; Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=Error logging in to host (livetirk); The host system is not available; This DA_EQPF1 request has failed; Message[1]=Error logging in to host (livetirk); The host system is not available; Thi...
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;Call timed out (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;Communications failure (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;ERROR OCCURRED DURING LOGIN INTO LFACS: 0
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;Gateway is down and/or program failed.
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;No description available at this time
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;No match found for logical host (PREMIS_CENT);Routing Table Update Required. Call OSS/UHD
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;VERIFY TN
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 301;Server: Netscape-Enterprise/3.6 SP2 Date: Tue, 26 Jun 2001 11:32:23 GMT Content-type: text/html Querying ALOC/Premis for Address data... done. Accessing LFACS --partseparator Content-type...
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 302;ERROR OCCURRED DURING LOGIN INTO LFACS: 0
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 302;The requested NPA/NXX was not found in the ISDN Wire Center Data file:./opt/applet/data/facck/ALL.TRIS.data;Please contact your Tier 1 Support to report this problem ASAP.
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 501;INQ FASG FAILED: L400-050: THE REQUESTED FACILITY ADDRESS CANNOT BE FOUND. CHECK YOUR INPUT
OSS Gateway: Error caught by data source;	Message[0]=ERROR::Address Validation Error::Call timed out (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=ERROR::Address Validation Error::Communications failure (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=ERROR::Address Validation Error::Gateway is down and/or program failed.
OSS Gateway: Error caught by data source;	Message[0]=ERROR::Address Validation Error::No description available at this time
OSS Gateway: Error caught by data source;	Message[0]=ERROR::Address Validation Error::No match found for logical host (PREMIS_CENT);Routing Table Update Required. Call OSS/UHD

Table 3A - IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source; Error::VERIFY TN	Message[0]=ERROR::Address Validation
OSS Gateway: Error caught by data source;	Message[0]=ERROR::Call timed out (dac / rpc)
OSS Gateway: Error caught by data source; this request.	Message[0]=ERROR::Facility Check failed to process
OSS Gateway: Error caught by data source; address.	Message[0]=ERROR::No information was found for this
OSS Gateway: Error caught by data source; sending/receiving data from host No Lfacs connection available Facility Check is experiencing slow response to a host system. This may be due to unusual request volumes. P...	Message[0]=FC error code: 20060 Error
OSS Gateway: Error caught by data source; address - Address not in LFACS The requested address is in PREMIS - The request address is NOT in LFACS Issue service order with this address - Use correct remarks ...	Message[0]=FC error code: 20062 Valid PREMIS
OSS Gateway: Error caught by data source; Validation Unable to Validate Address Premis responded with an error code for this address. Please check your input and try again.	Message[0]=FC error code: 50310 Error in Address
OSS Gateway: Error caught by data source; services No SelectLoop EJB Found	Message[0]=FC error code: 70150 Error accessing EJB
OSS Gateway: Error caught by data source; entered was not a valid SAGA.	Message[0]=INPUT ERROR(S)::JS_ERR_112:SAGA
OSS Gateway: Error caught by data source; 1v:ZIPCODE translates into more than (1) SAGA.;	Message[0]=INPUT ERROR(S)::JS_ERR_112- Use one of the following SAGAs:
BLVUEASTSEAT	
OSS Gateway: Error caught by data source; is NOT part of selected Search By criteria.	Message[0]=INPUT ERROR(S)::JS_ERR_260: STATE
OSS Gateway: Error caught by data source; field is invalid; This request was not submitted; Message[1]=Invalid request; Request was not submitted; Message[2]=26602 Fatal :: Gateway Error	Message[0]=Invalid attribute (Loc Z); Required input
OSS Gateway: Error caught by data source; fields); Required input field is invalid; This request was not submitted; Message[1]=Invalid attribute (S: Service Code & Modifier field length must be 2...	Message[0]=Invalid attribute (S: cktId should has 6
OSS Gateway: Error caught by data source; time range	Message[0]=Job duration is greater than calculated
OSS Gateway: Error caught by data source;	Message[0]=Leadtime violated
OSS Gateway: Error caught by data source; NpaNxx (952957); Routing Table Update Required. Call OSS/UHD; DA_ADR_Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=User def...	Message[0]=No AREA/HOST match found for the
OSS Gateway: Error caught by data source; areaConvStatus table; Verify CALA entry, If correct, Routing Table Update Required, call OSS/UHD; DA_ADR_Request Failure; Message[1]=User defined exception received (da...	Message[0]=No match for area (MT) in
OSS Gateway: Error caught by data source; (867); Routing Table Update Required. Call OSS/UHD; DA_TNR_Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=User def...	Message[0]=No match found for version (2.0) and CLI
OSS Gateway: Error caught by data source; (INVALID); Routing Table Update Required. Call OSS/UHD; DA_TNR_Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=Null...	Message[0]=No match found for version (2.0) and CLI

Table 3A – IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source;	Message[0]=No SAGA/CALA match found for zip (12345); Verify ZIP. If correct, Routing Table Update Required, call OSS/UHD.; DA_ADR_Request Failure; Message[1]=User defined exception received (dac / rpc); Me...
OSS Gateway: Error caught by data source;	Message[0]=Not a valid Fetch object
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No AREA/HOST match found f...
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No match for area (DNVR) i...
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No match found for logical...
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No match found for version...
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No physical host associate...
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No SAGA/CALA match found f...
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=Unable to open the request...
OSS Gateway: Error caught by data source;	Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=User defined exception rec...
OSS Gateway: Error caught by data source;	Message[0]=POTS Facilities Availability Query Page: Internal FnS Error::Error Validating Page.; Message[1]=Pots Facility Check (with address validation);INPUT ERROR(S)::JS_ERR_112: SAGA entered was not a valid...
OSS Gateway: Error caught by data source;	Message[0]=POTS Facilities Availability Query Page: Internal FnS Error::Error Validating Page.; Message[1]=Pots Facility Check (with address validation);INPUT ERROR(S)::JS_ERR_112v:ZIPCODE could not be transla...
OSS Gateway: Error caught by data source;	Message[0]=POTS Facilities Login Page: Error Sending HTML::Connection lost to the Facility Check web site.
OSS Gateway: Error caught by data source;	Message[0]=Pots Facility Check (with address validation);INPUT ERROR(S)::FNS_ERR_901:TN and ADDRESS cannot both be entered.;JS_ERR_210: ADDRESS is NOT part of selected Search By criteria.;JS_ERR_220: UNIT is N...
OSS Gateway: Error caught by data source;	Message[0]=Pots Facility Check (with address validation);INPUT ERROR(S)::JS_ERR_112: SAGA entered was not a valid SAGA.
OSS Gateway: Error caught by data source;	Message[0]=Screen (DA_EQPF1>SignOn) : Field (IP_Userid) : /SIGN REJECTED, RC= 28 - USERID HAS BEEN REVOKED.; The host system has returned an error; This DA_EQPF1 request has failed; Message[1]=Null resp...
OSS Gateway: Error caught by data source;	Message[0]=Screen (DLR_Status) : Field (UNKNOWN) : DLR Issue Failed Resend Request; The host system has returned an error; This DA_EQPF1 request has failed; Message[1]=E/A Service handler failed; Service...

Table 3A - IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source;	Message[0]=Screen (WA) : Field (WorkAuthorization->circuidFormat) : ERROR-The Circuit Id was not found in the TIRKS System database.; The host system has returned an error; This DA_EQPF1 request has fail...
OSS Gateway: Error caught by data source;	Message[0]=Screen (WA) : Field (WorkAuthorization->cirLayoutOrderNum) : ERROR-Circuit Id not eligible for this Co-Provider; The host system has returned an error; This DA_EQPF1 request has failed; Message[...
OSS Gateway: Error caught by data source;	Message[0]=System Call error while communicating with Fetch Hostname = fnsld1 Port number = 4006 Connection refused Host = fnsld1 Port = 4006 Timeout = 5
OSS Gateway: Error caught by data source;	Message[0]=System Call error while communicating with Fetch Hostname = fnsld1 Port number = 4006 Connection reset by peer
OSS Gateway: Error caught by data source;	Message[0]=Transaction timed out while processing request: (From signal handler)
OSS Gateway: Error caught by data source;	Message[0]=Unable to open the requested E/A service.; Request has been rejected.; Message[1]=User defined exception received (dac / rpc); Message[2]=Null response: Corrupt response data encountered; Respon...
OSS Gateway: Error caught by data source;	Message[0]=VERIFY TN; DA_ADR Validate Address Request Failure; Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by data source;	Message[0]=VERIFY WIRE CENTER; DA_ADR Validate Address Request Failure; Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by Fns	Message[0]= DA_ADR Validate Address Request Success Message[1]=Successful Return From Gateway Message[2]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns	Message[0]=Could not connect to AS server
OSS Gateway: Error caught by Fns	Message[0]=Due date requested has passed.
OSS Gateway: Error caught by Fns	Message[0]=ExcSupportCsrLegacyFatalError : File=[SupFnsInterface.cpp], Line#[744] Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E106 Account not found while resolving account on partial circ...
OSS Gateway: Error caught by Fns	Message[0]=ExcSupportCsrLegacyFatalError : File=[SupFnsInterface.cpp], Line#[744] Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Invalid host info while resolving account on partial circuit ...
OSS Gateway: Error caught by Fns	Message[0]=Fetch transaction Timed Out: Hostname = fnsld1 Port number = 4006
OSS Gateway: Error caught by Fns	Message[0]=HicapServFacAvailServer::ProcessMessage() Internal Fns Error: Unknown HTML Page:
OSS Gateway: Error caught by Fns	Message[0]=Invalid request
OSS Gateway: Error caught by Fns	Message[0]=LSO not valid
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway () on message ResGeneric: Error reading request.
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 155 CSR not in Database
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 161 CSR list format error
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 162 CSR billing format error
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 163 CSR S&E format error

Table 2A - IMA Production legacy system error messages not found in IMA GATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 164 CSR remarks format error
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 610 CSR SNE Format Warning
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: Partial CSR not available on Non-Dept billed Western AN
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: Unable to execute BossIFE
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: A024 DUPT_ACCT_NOT_FOUND
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E101 Account not in BOSS/CARS
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E105
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Invalid account id
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: S901
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Unable to execute SR20cars
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Unable to execute SR33
OSS Gateway: Error caught by Fns	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResGeneric: Unable to connect to back-end server
OSS Gateway: Error caught by Fns	Message[0]=SAG OR STREET RANGE INFORMATION ONLY DA_ADR Validate Address Request Success Message[1]=Successful Return From Gateway Message[2]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns	Message[0]=Transaction Timed out for DA CFACable
OSS Gateway: Error caught by Fns	Message[0]=Transaction Timed out with DA ADR
OSS Gateway: Error caught by Fns	Message[0]=Unable to execute SCal
OSS Gateway: Error caught by Fns	Message[0]=Unable to execute SFirst
OSS Gateway: Error caught by Fns	Message[0]=User defined exception received (dac / rpc) Message[1]=User defined exception received (dac / rpc) Message[2]=SELECT CALA DA_ADR_Request Failure Message[3]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns	Message[0]=VERIFY STREET NAME DA_ADR Validate Address Request Partial Success Message[1]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns	Message[0]=VERIFY STREET NAME OR COMMUNITY DA_ADR Validate Address Request Partial Success Message[1]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns	Message[0]=VERIFY SUPPLEMENTAL INPUT DA_ADR Validate Address Request Success Message[1]=Successful Return From Gateway Message[2]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns	Message[0]=VERIFY SUPPLEMENTAL LIST DA_ADR Validate Address Request Partial Success Message[1]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns;	Message[0]= ; DA_ADR Validate Address Request Success; Message[1]=Successful Return From Gateway; Message[2]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns;	Message[0]=Could not connect to AS server

Table 3A - IMA Production legacy system error messages not found in IMA SATE	
IMA ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by Fns;	Message[0]=DesignServFacAvailServer::ProcessMessage();Internal FnS Error: Unknown HTML Page:
OSS Gateway: Error caught by Fns;	Message[0]=Did not receive format set.
OSS Gateway: Error caught by Fns;	Message[0]=Fetch transaction Timed Out: Hostname = fnsld1 Port number = 4006
OSS Gateway: Error caught by Fns;	Message[0]=HicapServFacAvailServer::ProcessMessage();Internal FnS Error: Unknown HTML Page:
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway () on message ResGeneric: Error reading request.
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 122 Account not in Database
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 155 CSR not in Database
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: Unable to execute BossIFE
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: Unable to execute CarsIFE
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: A024 DUPT ACCT NOT FOUND
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E101 Account not in BOSS/CARS
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E105
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: S901
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Unable to execute SR20cars
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Unable to execute SR33
OSS Gateway: Error caught by Fns;	Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResGeneric: Unable to connect to back-end server
OSS Gateway: Error caught by Fns;	Message[0]=Transaction Timed out for DA CFACable
OSS Gateway: Error caught by Fns;	Message[0]=Transaction Timed out with DA ADR
OSS Gateway: Error return from gateway 1. NO AVAILABLE NUMBERS SATISFY ALL THE VALID INPUT PARAMETERS DA_TNR_Request Failure 2. User defined exception received (dac / rpc)	
OSS Gateway: Error return from gateway 1. User defined exception received (dac / rpc) 2. User defined exception received (dac / rpc) 3. User defined exception received (dac / rpc) 4. Null response: Corrupt response data encountered R...	
OSS Gateway: Error return from gateway 1. VERIFY TN DA_ADR Validate Address Request Failure 2. User defined exception received (dac / rpc)	
OSS Gateway: no matches found	
OSS Gateway: Response not valid	
OSS Gateway: Timeout	
OSS Gateway: Transaction failed (READ)	
OSS Gateway: Transaction failed (SERVER)	
OSS Gateway: Transaction failed (WRITE)	

Table 3B -

The following list includes pre-order legacy system error messages found in both IMA production and IMA SATE, but where the error message currently varies due to the timing of IMA SATE deployment in advance of the release in production.

Table 3B - IMA Production and SATE legacy system error message variances due to release timing	
IMA PRODUCTION ERROR MESSAGE	SATE ERROR MESSAGE
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Invalid host info	Received Error From FnsGateway (6.2.1.11) on message ResDupAccountList: Invalid host info.
OSS Gateway: Error caught by Fns Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E106 Account not found	OSS Gateway: Error caught by Fns. Message[0]=Received Error From FnsGateway (6.3.1.1) on message ResDupAccountList: E106 Account not found.

Change Summary

In this change summary, the table number describes which of the tables above the change applies:

Table 1 = Production Legacy System Errors

Table 2A = SATE Legacy System Errors

Table 2B = SATE SIA Legacy System Errors

Table 3A = Production Error messages not in SATE

Table 3B = Production and SATE Variances due to Release Timing

Table Number	Error Message	Added/Removed
	Combined Production Legacy System Errors, SATE Legacy System Errors, and SATE versus Production Variance documents into a single document	
2A	Loop Qualification Query: OSS Gateway: Error caught by data source Message[0] ERROR No information was found for this address.	Added
2A	Loop Qualification Query OSS Gateway: VERIFY STREET NAME Address is not an exact match	Added

Table 4: 9.0 IMA ERRORS LIST-Version 5 (BPL)

This list includes all errors generated by IMA. It is not intended to include those error messages generated by Qwest legacy systems.

When seen in production, all errors in this list with an error code beginning with "WO" will be preceded by the form name and, when applicable, the section name where the error is occurring. The form and section name correspond to the form and section names found in the IMA EDI Developer Worksheets located in the IMA EDI Disclosure Document.

TABLE 4-9.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	Error Message
"<F><FIELDN>001	<LOCDESCFIELDNAME> must be populated when <LOCVALUEFIELDNAME> is populated"
"<F><FIELDN>001	<LOCVALUEFIELDNAME> must be populated when <LOCDESCFIELDNAME> is populated"
"<F><FIELDN>002	<FULLNAME>: Integer format invalid"
"<F><FIELDN>003	<FULLNAME>: List number too large (<VALUEINT>><CM LIST MAX NUM>)"
"<F><FIELDN>003	<FULLNAME>: String value too long: <MAP->FIELDLEN vs. <VALUELEN> (<VALUESTR>)"
"<F><FIELDN>900	<FULLNAME>: Unknown fieldType"
"<F><FIELDN>900	<FULLNAME>: Wrong fieldType"
"<F>CABCONN 001	CABCONN required when POTSSPLITLOC is I"
"<F>CABCONN 003	CABCONN cannot start with VCE"
"<F>CABCONN 003	CABCONN not allowed when POTSSPLIT is populated"
"<F>CABCONN 900	CABCONN required when CABCONNQTY > 0"
"<F>CABCONNT001	CABCONNTYP required when POTSSPLITLOC is I"
"<F>CABCONNT003	CABCONN not allowed when POTSSPLITLOC is R"
"<F>CABCONNT003	CABCONNTYP must be B"
"<F>CABCONNT003	CABCONNTYP must be D"
"<F>CABCONNT003	CABCONNTYP must be E"
"<F>CABCONNT003	CABCONNTYP not allowed when POTSSPLIT is populated"
"<F>CABCONNT003	CABCONNTYP not allowed when POTSSPLITLOC is R"
"<F>CABCONNT900	CABCONNTYP required when ACT is V"
"<F>CABCONNT900	CABCONNTYP required when CABCONNQTY > 0"
"<F>MANUALIN003	MANUALIND must be Y or N"
"<F>MANUALIN900	MANUALIND - REMARKS must be populated when MANUALIND is Y"
"<F>TCID 003	TCID must be numeric"
"<F>TCID 900	TCID required when ACT is V and TCOPT is T"
"<F>TCID 900	TCID required when ACT is V or C and TCOPT is T"

TABLE 4-10 IMA ERRORS LIST-VERSION 3 (BPL)		
Error Code		Error Message
"<F>TCID 900		TCID required when ACT is V or Z and TCOPT is T"
"<F>TCID 900		TCID required when ACT is V or Z and TCOPT is T"
"<F>TCID 900		TCID required when ACT is V, Z or C and TCOPT is T"
"<F>TCID 900		TCID required when ACT is V, Z or C and TCOPT is T"
"<F>TCID 900		TCID required when ACT is V, Z, C or T and TCOPT is T"
"<F>TCID 900		TCID required when ACT is V, Z, C, T or L and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V or C and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V or Z and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V or Z and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V, Z or C and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V, Z or C and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V, Z, C or T and TCOPT is T"
"<F>TCNAME 900		TCNAME required when ACT is V, Z, C, T or L and TCOPT is T"
"<F>TCSEC 900		TCID(Sec) prohibited for ported number ranges"
"<F>TCSEC 900		TCNAME(Sec) prohibited for ported number ranges"
"<F>TCSEC 900		TCTOSEC prohibited for ported number ranges"
"<F>TCTOSEC 002		TCTOSEC invalid format"
"<F>TCTOSEC 900		OTN required when ACT is Change and TCOPT is T"
"<F>TCTOSEC 900		OTN required when ACT is Change and TCOPT is T"
"<F>TCTOSEC 900		OTN required when ACT is Change and TCOPT is T"
"<F>TCTOSEC 900		OTN required when ACT is Change and TCOPT is T"
"<F>TCTOSEC 900		TCTOSEC required when ACT is T or L and TCOPT is T"
"<F>TCTOSEC 900		TCTOSEC required when ACT is V and TCOPT is T"
"<F>TCTOSEC 900		TCTOSEC required when ACT is V or C and TCOPT is T"
"<F>TCTOSEC 900		TCTOSEC required when ACT is V or Z and TCOPT is T"
"<F>TCTOSEC 900		TCTOSEC required when ACT is V or Z

TABLE 4-10 IMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"<F>TCTOSEC 900	and TCOPT is T"
"<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z or C and TCOPT is T"
"<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z or C and TCOPT is T"
"<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z or T and TCOPT is T"
"<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z, T or L and TCOPT is T"
"<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z, T or L and TCOPT is T"
"<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z, T or L and TCOPT is T"
"<F>TN 999	This line (<TN>) on the account is frozen. Ask the end user to contact the owning company and unfreeze the line(s)."
"AA 999	<ERRORMESSAGE>"
"AA 999	Can't delete EXPIRED appointments"
"AA 999	Database not connected"
"AA 999	LSR has been CANCELED or COMPLETED"
"AA 999	No Available Appointment"
"AAQAPPRD 002	APPRD invalid format"
"AAQAPPRD 002	APPRD invalid format"
"AAQAPPRD 002	Requested appointment must occur within a one year timeframe"
"AAQAPPTACT 003	APPTACT must be N"
"AAQCC 001	CC required for PSP"
"AAQCCNA 001	CCNA required"
"AAQD/TSENT 001	D/TSENT required"
"AAQJACKNUM 003	JACKNUM must be between 1 and 99"
"AAQNC 002	NC required when TXTYP is U"
"AAQNC 999	NC prohibited when TXTYP is <C->TXTYP[0]>"
"AAQPON 001	PON required"
"AAQProduct 003	NC is not valid for product"
"AAQProduct 999	NC Lookup failed (<ERRORMESSAGE>)"
"AAQREQNUM 003	REQNUM must be between 1 and 99"
"AAQTOS 002	First digit of TOS must be 1, 2, 3, or 4"
"AAQTOS 002	First digit of TOS must be 4 when PSP"
"AAQTOS 002	TOS must be 1, 2, or 3"
"AAQTXACT 003	TXACT must be A"
"AAQTXNUM 001	TXNUM required"
"AAQTXTYP 003	TXTYP must be D or U"
"AAQUSOCNUM 003	USOCNUM must be between 1 and 99"
"AAQUSOCNUM 003	USOCs not allowed when TXTYP is U"
"AAQWTN 001	WTN required"
"AAQWTN 002	WTN invalid format"
"AI 999	<ERRORMESSAGE>"
"AI 999	No Appointment found"
"AIQCC 001	CC required for PSP"

TABLE 4-10 TMA ERRORS LIST-VERSION 5 (DPL)		
Error Code		Error Message
"AIQCCNA 001		CCNA required"
"AIQD/TSENT 001		D/TSENT required"
"AIQPON 001		PON required"
"AIQTXACT 003		TXACT must be I"
"AIQTXNUM 001		TXNUM required"
"AIQXTYP 003		XTYP must be D"
"AS 999		<ERRORMESSAGE>"
"AS 999		Cannot select a new appointment. An availability query is required first"
"AS 999		Cannot select a new appointment. An availability query is required first"
"AS 999		Database not connected"
"AS 999		LSR has been CANCELED or COMPLETED"
"AS 999		More than one previous appointment found for this PON."
"ASQABTIME 002		ABTIME invalid format"
"ASQABTIME 002		ABTIME invalid format"
"ASQAPPRD 002		APPRD invalid format"
"ASQAPPRD 002		APPTDATE invalid format"
"ASQCC 001		CC required for PSP"
"ASQCCNA 001		CCNA required"
"ASQCOMPTIME002		COMPTIME invalid format"
"ASQD/TSENT 001		D/TSENT required"
"ASQPON 001		PON required"
"ASQTXACT 003		TXACT must be E"
"ASQTXNUM 001		TXNUM required"
"ASQXTYP 003		XTYP must be D or U"
"AV 999		<ERRORMESSAGE>"
"AV 999		<ERRORMESSAGE>"
"AV 999		<SRSP->GETERRORMESSAGE()>"
"AV 999		Unable to locate specified Address"
"AV 999		Unable to locate specified Address"
"AV 999		Unable to validate address"
"AV 999		Unable to validate address"
"AV 999		Unknown response <RESULT>"
"AV (999		<ERRORMESSAGE>"
"AVQAFT 001		Invalid Value for AFT"
"AVQAHN 900		AHN can only be populated if SASN begins with '@' "
"AVQBOX 900		BOX can only be populated if ROUTE populated"
"AVQCALA 003		Invalid entry in CALA"
"AVQCC 001		CC required for PSP"
"AVQCCNA 001		CCNA required"
"AVQCITY 900		CITY required when SEARCHTYP is A"
"AVQD/TSENT 001		D/TSENT invalid format"
"AVQD/TSENT 001		D/TSENT required"
"AVQLD1 001		Invalid Value for LD1"
"AVQLD2 001		Invalid Value for LD2"
"AVQLD3 001		Invalid Value for LD3"
"AVQSANO 900		SANO is required when SAPR or SASF is

TABLE C-9.8 IMA ERRORS LIST-VERSION 5 (BPL)		
Error Code		Error Message
		populated"
"AVQSASD	001	Invalid Value for SASD"
"AVQSASF	002	ROUTE can't be populated if SANO populated"
"AVQSASN	900	SASN is required when SASD, SATH, or SASF is populated"
"AVQSASS	001	Invalid Value for SASS"
"AVQSEARCHTY003		SEARCHTYP must be A or T"
"AVQSTATE	900	STATE required when SEARCHTYP is A"
"AVQTXACT	003	TXACT must be A"
"AVQTXNUM	001	TXNUM required"
"AVQTXTYP	003	TXTYP must be A"
"AVQWTN	002	WTN invalid format"
"AVQWTN	900	WTN required when SEARCHTYP is T"
"AVQZIP/CALA001		ZIP or CALA required"
"BAN	999	<ERRORMESSAGE>"
"BAN	999	Bill Account List not found"
"CAL	999	<ERRORMESSAGE>"
"CAL	999	Can't fetch CALA list"
"CAL	999	Empty CALA list"
"CFA	999	<ERRORMESSAGE>"
"CFA	999	Invalid user data"
"CFA	999	PSP not allowed to request CFA Validation"
"CFAACNA	001	ACNA required"
"CFACABNM	900	CABNM required when FIRSTUNIT or LASTUNIT is populated"
"CFACCNA	001	CCNA required"
"CFAD/TSENT	001	D/TSENT required"
"CFAFIRSTUNIT900		FIRSTUNIT required when CABNM or LASTUNIT is populated"
"CFALASTUNIT900		LASTUNIT required when CABNM or FIRSTUNIT is populated"
"CFALOCA	001	LOCA required"
"CFALOCZ	900	LOCZ equired"
"CFASEARCHTY001		SEARCHTYPE required"
"CFASEARCHTY003		SEARCHTYPE must be G or U"
"CFATXACT	003	TXACT must be A"
"CFATXNUM	001	TXNUM required"
"CFATXTYP	003	TXTYP must be C"
"CMD	999	Error opening socket"
"CMD	999	Error reading from socket"
"CMD	999	Error writing to socket"
"CMDXML	999	Error parsing outbound message"
"CP	999	<ERRORMESSAGE>"
"CP	999	Co-carrier Profile not found"
"CRS	001	CRS form required"
"CRS	001	CRS form required"
"CRS	001	CRS form required"
"CRS	001	CRS form required"
"CRSBA	003	BA must be A, D or Z"

TABLE 4. FORMA ERRORS LIST-VERSION 3 (BPL)		
Error Code		Error Message
"CRSBLOCK	003	A blocking value has been selected that must be used in combination with other blocking values"
"CRSBLOCK	003	A combination of blocking values has been selected that cannot be used together"
"CRSBLOCK	003	BLOCK must be A, B, C, or H"
"CRSBLOCK	900	BLOCK required when BA is populated and ACT is <CTX->ACT>"
"CRSBLOCK	900	BLOCK required when BA is populated and ACT is V or C"
"CRSCB	001	CB required for ACT of N, V, Z, C, or T"
"CRSCB	001	CB required for ACT of V or C"
"CRSCOS	900	COS required"
"CRSDEPT	900	DEPT must be 4 to 6 alphanumeric characters in length"
"CRSDEPT	900	DEPT required in Western Region when LOC is populated"
"CRSDPA	002	DPA must be numeric"
"CRSDPA	003	DPA must be greater than 0"
"CRSDPA	003	DPA too long -- <STRLEN(CBD->DPA)> vs 3"
"CRSDPA	900	DPA required in Eastern Region when XLI is populated"
"CRSFA	900	FA - At least one feature section required when LNA is V"
"CRSFA	900	FA can be N when LNA is D only when TCOPT is S or T"
"CRSFA	900	FA must be D or N when LNA is D"
"CRSFA	900	FA must be D, N, C or T when LNA is C"
"CRSFA	900	FA must be N or D when LNA is T"
"CRSFA	900	FA must be N when LNA is N"
"CRSFA	900	FA must exist and be V, N or D when LNA is V"
"CRSFEATURE	003	FEATURE DETAIL must have a / in the first character"
"CRSFEATURE	900	FEATURE required when FA is populated"
"CRSIWJQ	003	IWJQ must be between 1 and 99"
"CRSIWJQ	003	IWJQ must be numeric"
"CRSIWJQ	900	IWJQ required when IWJK is populated and ACT is V"
"CRSLNA	003	LNA must be N, C, D, V, T, X or P"
"CRSLNA	900	LNA is not applicable when ACT is W"
"CRSLNA	900	LNA is not applicable when ACT is Y"
"CRSLNA	900	LNA must be D when ACT is D"
"CRSLNA	900	LNA must be L when ACT is B"
"CRSLNA	900	LNA must be L when ACT is L"
"CRSLNA	900	LNA must be N when ACT is N"
"CRSLNA	900	LNA must be N, C, D, T, X or P when ACT is C"
"CRSLNA	900	LNA must be N, C, D, X, or P when ACT

TABLE 4-10 DMA ERRORS LIST-VERSION 5 (BPL)		
Error Code		Error Message
"CRSLNA	900	is C"
"CRSLNA	900	LNA must be T, N or D when ACT is T"
"CRSLNA	900	LNA must be V, N or D when ACT is V"
"CRSLNA	900	LNA must be V, N or D when ACT is V"
"CRSLNA	900	LNA must be V, N or D when ACT is Z"
"CRSLNUM	003	LNUM must be numeric"
"CRSLNUM	003	LNUM must be numeric"
"CRSLNUM	003	LNUM not in sequence"
"CRSLNUM	003	LNUM not in sequence"
"CRSLNUM	900	LNUM required when ACT is <CTX->ACT>"
"CRSLNUM	900	LNUM required when ACT is V or C"
"CRSLOC	002	LOC must be a 4-digit numeric"
"CRSLOC	003	LOC must be greater than 0"
"CRSLOC	900	LOC required in Western Region when DEPT is populated"
"CRSLOCNUM	003	LOCNUM must be 2 when ACT is T"
"CRSLOCNUM	900	LOCNUM required when ACT is T"
"CRSLPIC	003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"CRSLPIC	003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"CRSLPIC	900	LPIC required when ACT is V"
"CRSLPIC	900	LPIC required when LNA is V, N, or T and ACT is <CTX->ACT>"
"CRSLPIC	900	LPIC required when LNA is V, N, or T and ACT is C"
"CRSLSCP	003	LSCP must be A or B"
"CRSLSCP	900	LSCP is not allowed when ACT is <CTX->ACT>"
"CRSLTC	003	LTC must be numeric"
"CRSLTC	003	LTC must be numeric"
"CRSLTC	900	LTC required when ACT is N, V, or Z"
"CRSLTC	900	LTC required when ACT is V"
"CRSLTC	900	LTC required when LNA is T and ACT is C or T"
"CRSMANUALIN	900	MANUALIND must be Y when NPI is populated"
"CRSMIL	002	MIL must be a 3-digit numeric"
"CRSMIL	003	MIL must be greater than 0"
"CRSNIDR	003	NIDR must be Y or blank"
"CRSNPI	003	NPI must be C, D, or Z"
"CRSOTN	002	OTN invalid format"
"CRSOTN	900	OTN required when LNA is X"
"CRSPIC	003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four

TABLE 4: EDI MA ERRORS LIST-VERSION 5 (BPL)

Error Code	Error Message
	digit codes to make them four digits), or the word "None", or "DFLT"
"CRSPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"CRSPIC 900	PIC required when ACT is V"
"CRSPIC 900	PIC required when LNA is V, N or T and ACT is <CTX->ACT>"
"CRSPIC 900	PIC required when LNA is V, N or T and ACT is C"
"CRSPIC/LPIC900	PIC or LPIC required when LNA is P and ACT is <CTX->ACT>"
"CRSPIC/LPIC900	PIC or LPIC required when LNA is P and ACT is V or C"
"CRSREMARKS 900	REMARKS is required when NPI is populated"
"CRSRSQTY 003	RSQTY must be greater than 0 for ACT of N, D, V, Z, C, T, L, or B"
"CRSRSQTY 003	RSQTY must be greater than 0 for ACT of V or C"
"CRSSAN 900	SAN required when first character of TOS is 3 and ACT is <CTX->ACT>"
"CRSSAN 900	SAN required when first character of TOS is 3 and ACT is W, V or C"
"CRSSGNL 003	SGNL must be LS or GS"
"CRSTCID 002	TCID invalid format"
"CRSTCID 900	TCID required when TCOPT is S or T and ACT is <CTX->ACT>"
"CRSTCNAME 900	TCNAME required when TCOPT is T and ACT is <CTX->ACT>"
"CRSTCOPT 003	TCOPT must be N, S or T"
"CRSTCPER 002	TCPER invalid format"
"CRSTCPER 900	TCPER required when TCOPT is S or T and ACT is <CTX->ACT>"
"CRSTCTOPRI 002	TCTOPRI invalid format"
"CRSTCTOPRI 002	TCTOPRI invalid format"
"CRSTCTOPRI 900	TCTOPRI required when TCOPT is S or T and ACT is <CTX->ACT>"
"CRSTCTOPRI 900	TCTOPRI required when TCOPT is S or T and ACT is V or C"
"CRSTERS 900	TERS required when TLI is populated"
"CRSTLI 900	RESALE TLI must match a TLI on the LSR"
"CRSTLI 900	RESALE TLI must match a TLI on the LSR"
"CRSTLI 900	RESALE TLI required when TERS is populated"
"CRSTNS 900	TNS cannot be a placeholder when LNA is not N or X"
"CRSTNS 900	TNS required when ACT is <CTX->ACT>"

TABLE 4-33 IMA ERRORS LIST-VERSION 5 (HPL)

Error Code	Error Message
"CRSTNS 900	TNS required when ACT is V or C"
"CRSTNS 900	TNS required when LNA is populated and TLI is not populated"
"CRSTNS 900	TNS required when LNA is populated"
"CRSXLI 002	XLI must be numeric"
"CRSXLI 003	XLI must be greater than 0"
"CRSXLI 900	XLI required in Eastern Region when DPA is populated"
"CSR 999	<ERRORMESSAGE>"
"CSR 999	<F->GETCSRRETRIEVEDPAGECOUNT() > pages of <F->GETCSRTOTALPAGECOUNT() > pages returned"
"CSR 999	<F->GETCSRRETRIEVEDPAGECOUNT() > pages of <F->GETCSRTOTALPAGECOUNT() > pages returned"
"CSR 999	<F->GETCSRRETRIEVEDPAGECOUNT() > pages of <F->GETCSRTOTALPAGECOUNT() > pages returned"
"CSR 999	Can't retrieve Centrex COS list"
"CSR 999	Could not retrieve CSR size and/or timeout parameters"
"CSR 999	CSR Incomplete - More CSR data available"
"CSR 999	Multiple CSR records returned"
"CSR 999	No active account found"
"CSR 999	No CSR data returned"
"CSR 999	No CSR found"
"CSR 999	No Files Found"
"CSR 999	No live accounts exist for the search criteria"
"CSR 999	No live accounts exist for the search criteria"
"CSR 999	No live accounts exist for the search criteria"
"CSR 999	Partial CSR incomplete - More Partial CSR pages available"
"CSR 999	Partial CSR incomplete - More Partial CSR pages available"
"CSR 999	Partial CSR incomplete - More Partial CSR pages available"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"

TABLE 4.90 DIA ERRORS LIST-VERSION 5 (BPL)

Error Code	Error Message
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	Request has been submitted"
"CSRAFT 001	Invalid Value for AFT"
"CSRAGAUTH 003	AGAUTH must be Y or N"
"CSRAGAUTH 003	AGAUTH must be Y or N"
"CSRCCNA 001	CCNA required"
"CSRCITY 900	<ERRSTRING>"
"CSRCITY 900	CITY required<ERRMSG>"
"CSRCUSTNAME900	CUSTNAME required when partial section WTN is populated"
"CSRCUSTNAME900	CUSTNAME required when partial section WTN is populated"
"CSRCUSTNAME900	CUSTNAME required when TXACT = C or D, SERVIND = N, and account-level WTN not populated"
"CSRCUSTNAME900	CUSTNAME required when TXACT = C or D, SERVIND = N, and account-level WTN not populated"
"CSRCUSTNAME900	CUSTNAME required when TXACT is A or B"
"CSRCUSTNAME900	CUSTNAME required when TXACT is A or B"
"CSRD/TSENT 001	D/TSENT required"
"CSRDATED 900	DATED required when AGAUTH is Y"
"CSRDATED 900	DATED required when AGAUTH is Y"
"CSRECCKT 900	ECCKT required when SERVIND is N and TXACT is A or B"
"CSRECCKT 900	ECCKT required when SERVIND is N and TXACT is A or B"
"CSRECCKT 900	ECCKT required when TXACT = C or D and SERVIND = N"
"CSRECCKT 900	ECCKT required when TXACT = C or D and SERVIND = N"
"CSRECCKT 900	Partial ECCKT cannot be populated when qnr > 0"
"CSRECCKT 900	Partial ECCKT cannot be populated when qnr > 0"
"CSREMAILADD900	EMAILADDR required if RTNMETH is L"
"CSREMAILADD900	EMAILADDR required if RTNMETH is L"
"CSRQNR 003	QNR must be greater than or equal to 0 and less than or equal to 30 when TXACT is C or D"
"CSRQNR 003	QNR must be greater than or equal to 1 and less than or equal to 30 when TXACT is C or D and SERVIND is T"

TABLE 4-50 IMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"CSRRTNMETH 001	RTNMETH required"
"CSRRTNMETH 001	RTNMETH required"
"CSRRTNMETH 003	RTNMETH must be L, F, or N"
"CSRRTNMETH 003	RTNMETH must be L, F, or N"
"CSRRTNMETH 900	RTNMETH must be N when TXACT is A"
"CSRRTNMETH 900	RTNMETH must be N when TXACT is A"
"CSRSANO 900	SANO is required when SAPR or SASF is populated"
"CSRSANO 900	SANO is required when SAPR or SASF is populated"
"CSRSASD 001	Invalid Value for SASD"
"CSRSASN 900	<ERRSTRING>"
"CSRSASN 900	SASN is required when SASD, SATH, or SASS is populated"
"CSRSASN 900	SASN is required when SASD, SATH, or SASS is populated"
"CSRSASS 001	Invalid Value for SASS"
"CSRSERVIND 001	SERVIND required"
"CSRSERVIND 001	SERVIND required"
"CSRSERVIND 003	SERVIND must be T or N"
"CSRSERVIND 003	SERVIND must be T or N"
"CSRSTATE 900	<ERRSTRING>"
"CSRSTATE 900	STATE required<ERRMSG>"
"CSRTXACT 003	TXACT must be A, B, C, or D"
"CSRTXACT 003	TXACT must be A, B, C, or D"
"CSRTXNUM 001	TXNUM required"
"CSRTXNUM 001	TXNUM required"
"CSRTXNUM 001	TXNUM required"
"CSRTXTYP 003	TXTYP must be E"
"CSRTXTYP 003	TXTYP must be E"
"CSRTXTYP 003	TXTYP must be L"
"CSRUSOCDESC003	USOCDESCIND must be Y"
"CSRUSOCDESC003	USOCDESCIND must be Y"
"CSRWTN 002	WTN invalid format"
"CSRWTN 002	WTN invalid format"
"CSRWTN 900	WTN required when SERVIND is T and TXACT is A or B"
"CSRWTN 900	WTN required when SERVIND is T and TXACT is A or B"
"CSRWTN 900	WTN required when TXACT = C or D and SERVIND = T"
"CSRWTN 900	WTN required when TXACT = C or D and SERVIND = T"
"CT 999	<ERRORMESSAGE>"
"CT 999	<ERRORMESSAGE>"
"CT 999	<ERRORMESSAGE>"
"CT 999	<ERRORMESSAGE>"
"CT 999	<ERRORMESSAGE>"
"CT 999	Appointment cannot be canceled (<APPTLIST[I]>)"
"CT 999	Appointment not found (<REQ->INQRESNBR>)"

TABLE 4-1.3 DIA ERRORS LIST-VERSION 5 (BPL)

Error Code	Error Message
"CTQ 999	<ERRORMESSAGE>"
"CTQ 999	Error canceling Telephone Number (<TN>)"
"CTQ 999	Error canceling Telephone Number (<TN>)"
"CTQ 999	Error returning Telephone Number (<TN>)"
"CTQ 999	Telephone Number already canceled (<TN>)"
"CTQ 999	Telephone Number cannot be canceled (<TN>)"
"CTQ 999	Telephone number not found (<TN>)"
"CTQCCNA 001	CCNA required"
"CTQD/TSENT 001	D/TSENT required"
"CTQINQRESNB900	INQRESNBR required when TXTYP is D"
"CTQPON 001	PON required"
"CTQSELNUM 900	SELNUM invalid when TXTYP is B"
"CTQTNRRES 001	TNRRES[<I>] required"
"CTQTNRRES 002	TNRRES[<I>] invalid format"
"CTQTXACT 003	TXACT must be K"
"CTQTXNUM 001	TXNUM required"
"CTQTXTYP 003	TXTYP must be B or D"
"CU 999	<CPSRSP->CPSERRORINFO.ERRMESG>"
"CU 999	CPS Communication Error"
"CU CCNA 001	CCNA required"
"CU SERVICET001	SERVICETYPE required"
"CU STATE 001	STATE required"
"CU WPL 001	WPL required"
"DL 001	DL form is required when ACT is V"
"DL 001	DL form is required when ACT is V"
"DL 999	Complex listings not allowed"
"DL ADI 003	ADI must be O"
"DL ADI 003	ADI must be O"
"DL ADI 900	ADI required when RTY is FXL, FEM, FUL, FCR, LXL, LCR, LEM, LUL, or LTEXT starts with 'See ' or 'Call'"
"DL ADI 900	ADI required when RTY is LXL, LCR, LEM, LUL, FXL, FCR, FEM, or FUL"
"DL AGAUTH 900	DSR.AGAUTH required when ACT is W and LACT is Z"
"DL AHN 900	AHN prohibited when ADI is "O"
"DL ALI 900	ALI required when RTY is not LML"
"DL ALI 900	Duplicate ALI's are prohibited when LACT is D, N, or Z"
"DL BLDG 002	First character of BLDG must be capitalized"
"DL BLDG 002	The first piece of data in BLDG must be followed by one space and then at least one and up to 10 additional valid characters"
"DL BLDG 002	The value following the space in BLDG must be at least one and up to 10